

Product Specifications

HAT3300-2T

Synology

Hardware Specifications

| General | |
|-------------|-------------|
| Capacity | 2 TB |
| Form Factor | 3.5" |
| Interface | SATA 6 Gb/s |

| Performance | |
|--|-----------|
| Rotational Speed | 5,400 rpm |
| Maximum Sustained Data Transfer Speed (Typ.) | 180 MB/s |

| Reliability | |
|-------------|--|
| Warranty | 3 Years |
| Notes | The warranty period starts from the purchase date as stated on your purchase receipt. (Learn more) |

| Power Consumption | |
|-------------------------------------|---|
| Active Idle (Typ.) | 2.8 W |
| Random Read / Write (4KB Q1) (Typ.) | 3.1 W |
| Notes | Power consumption may differ according to configurations and platforms. |

Temperature

| | |
|-----------|-----------------------------|
| Operating | 0°C to 65°C (32°F to 149°F) |
|-----------|-----------------------------|

| | |
|---------------|--------------------------------|
| Non-operating | -40°C to 70°C (-40°F to 158°F) |
|---------------|--------------------------------|

Compatibility

Applied Models

- [HAT3300-4T](#)
- [HAT3300-6T](#)
- [HAT3320-8T](#)
- [HAT3310-12T](#)
- [HAT3310-16T](#)
- [HAT3320-20T](#)